



# Specification for Approval

Customer: \_\_\_\_\_

Model Name: \_\_\_\_\_

Supplier Approval			Customer approval
R&D Designed	R&D Approved	QC Approved	
Peter	Peng Jun		





## TABLE OF CONTENTS

List	Description	Page No.
	COVER	1
	REVISION RECORD	2
	TABLE OF CONTENTS	3
1	GENERAL DESCRIPTION	4
2	MECHANICAL SPECIFICATION	5
3	PIN DESCRIPTION	6
4	ELECTRICAL CHARACTERISTICS	8
5	OPTICAL CHARACTERISTICS	8
6	PIXEL FORMAT	12
7	RELIABILITY TEST ITEMS	13
8	GENERAL PRECAUTION	14
9	PACKAGE DRAWING	15

## 1.1 DESCRIPTION

AM-8001280-070EP is a color active matrix thin film transistor (TFT) IPS liquid crystal display (LCD) that uses amorphous silicon TFT as a switching device. It is composed of a TFT LCD panel, Driver IC ,FPC and Backlight.

## 1.2 FEATURES:

No.	Item	Specification	Unit
1	Panel Size	7"	inch
2	Number of Pixels	800×1280	pixels
3	Active Area	94.2 x 150.72	mm
4	Pixel Pitch	0.11775 x 0.11775	mm
5	Outline Dimension	160.85 (H)×99.65(W)×2.5(D)	mm
6	Number of Colors	16.7M	-
7	Display Mode	Normally black	-
8	Viewing Direction	IPS	-
9	Display Format	RGB vertical stripe	-
10	Luminance (cd/m <sup>2</sup> )	240(TYP.)	CD/M2
11	Contrast Ratio	700(TYP.)	
12	Surface Treatment	Anti-Glare	-
13	Interface	MIPI	-
14	Backlight	White LED	-
15	Operation Temperature	-10~50	°C
16	Storage Temperature	-20~60	°C
17	Weight	TBD	g
18	IC	9365DA-H3	























